

# A confused question about the Grafted Papageno

**Beitrag von „Bravo-CLIA“ vom 24. Juni 2013, 02:37**

Hello every friends, here is a question about the grafting, would you mind have a look? 🙋  
Thank you for visit this theme. We are really happy for that.

My friend Wuyexiao (this is his ID in the hybridenforum) has grafted one Papageno buds on the Hylocereus. Looking very interesting. How do you think it? He is confused by the unknown buds, not cutting head, he think it cannot be a branching, but flower bud is also unthinkable. So would you mind telling me your idea, I will tell you the final result, we really appreciate your reply.

Best regards/ Schönste Grüß 🙋  
Wuyexiao and Bravo

BTW I think the Papageno is a combine of Tr and EH, it has the flower of Tr and body of EH. On the other hand, Wuyexiao has 33 kinds of Shick hybrids and many primitive Lobivia and Echinioohsis, none grafted Cacti blooms in such a small size. And it is grown in Xianyou Country, Fujian Province, 25°N there is much hotter than German, now temperature is higher than 27 degrees.

Size initial: less than 1.5 Cm? Photo 2/ Foto2  
Size now: Less 3CM/1.2 inches in diameter (DRM) Photo 1/Foto1  
Time: Grafted later than 05/26/2013  
Photo 1: 06/23/2013  
Photo 2: 22/05/2013