

Systematik der Gattung Lobivia

Beitrag von „Karl1“ vom 22. Mai 2018, 18:50

Hier meine Systematik der Gattung Lobivia nach Rausch,

Stammt etwa aus dem Jahr 2000.

Systematik nach Kakteen Haage
und Cites - Cactaceae Checklist - David Hunt Band 1
Walter Rausch 1985 Band 1-3
Lobivia 1989 Rainer Wahl

Echinopsis - Lobivia

Pentlandinae (1) -(3)

Boliviensis : Zum Teil große Gruppen bildend, Körper breitrund, Blüten dichtblättrig-Trichterförmig

pentlandii (Hook. 1844)

Blüten fliederfarben , karminrot bis orangefarben, offen trichterförmig, 5-6 cm lang 4,5 cm breit 12 – 15 Rippen, wächst kugelig später etwas zylindrisch. Die Rippen sind durch querfurchen in beilförmige Höcker zerlegt und mit strahligen Rand- und gekämmten, meist hornfarbigen oder bräunlichen Mittelstacheln besetzt.

pentlandii WR 201
pentlandii WR 298
pentlandii WR 956
pentlandii v. *albiflora*
Blüten weiß, gelblich gefleckt
Stachel lang und orang-horngelb

pentlandii v. *argentaea* Backeb. 1935
K. gruppenbildend, Einzelkörper bis 10 cm hoch, bis 15 cm Dm, glänzendgrün; Ri. 24, Höcker scharfkantig; Rst. bis 14, bis 2 cm lang;
Mst. bis 8 cm lang, anfangs dunkel mit rotem Fuß, später rosagrau;
Bl. zartsilbrig-liaweiß;
Bolivien
pentlandii v. *aurantiaca* Wird, & Backeb. 1938
pentlandii v. *boliviensis* Br & R. 1922
Blüten anilinrot - rosenrot, trichterförmig, Schlund heller, 4- 5 cm lang
Körper länglich, 20 Rippen, über den Areolen schräg gekerbt
Stacheln hellgrau – 8 cm lang

pentlandii v. *brunneo-rosea* Backeb. 1956
pentlandii v. *carminantha* Backeb. 1935
Blüten rot, etwa 4 cm lang, breit 5 cm
pentlandii v. *croceantha* Backeb. 1935
pentlandii v. *forbesii*
Blüten kupferfarben, 5-6 cm lang, kelchförmig öffnend

pentlandii v. *higginsiana* Backeb. 1933
Blüten weinrot innen gelblich
Stacheln hellgrau – 8 cm lang
pentlandii v. *johsoniana* Backeb. 1935

pentlandii v. *lauramarca*
Blüte gelbrot, Röhre bis 8cm lang
Stacheln hellhorngelb, dunkler gespitzt
pentlandii v. *leucorhodon* Backeb. 1935
pentlandii v. *leucoviolacea* Backeb. 1935
Blüten violett, Schlund heller, 5,5 cm breit
Stacheln hellgrau – 8 cm lang

pentlandii v. multicostata
pentlandii v. omasuyana Card. 1965
pentlandii v. raphidacantha Backeb. 1935
pentlandii v. rubro-alba Backeb. 1935
pentlandii v. scheeri
pentlandii v. schneideriana Backeb. 1937
Blüten beige, 5 cm breit
pentlandii v. carnea Backeb.
pentlandii v. cuprea Backeb.
pentlandii v. titicicensis Card. 1959
pentlandii v. wegheiana Backeb. 1933
Blüte hell fliederfarben, duftend, 6 cm lang und
6 cm breit
Stacheln hellgrau – 8 cm lang
pentlandii v. leucantha Backeb. 1935
pentlandii v. varians Backeb. 1935
Blüten hellorangerot, Schlund heller,
Stachel – 10 cm lang
pentlandii v. hardeniana Boed. 1935
pentlandii v. aurantiaca
pentlandii v. aculeata Buin. 1941 = hardeniana
K. gedrückt kugelig, 5 cm hoch, 7 cm Dm., glänzend frisch grün,
Ri. 16; St. nadelig, anfangs bräunlich; Rst. bis 12, bis 3,5 cm lang,
Mst. 1-3, der längste 4,5 cm lang,
Bl. 6,5 cm lang, 5 cm Dm, Fb. goldgelb, purpurrandig, duftend.
Bolivien
pentlandii v. larae Card. 1964
Blüte violett, 6 cm lang, breit 5-6 cm, Schlund grünlich-weiß.
Rippen 12 über den Areolen gekerbt und Rippen beilförmig versetzt. Seitenstacheln 10
und Mittelstachel 5 cm lang nach innen gebogen

maximiliana Heydr. 1846
Blüte salmrot, nach den Spitzen zu purpurkarmin, 3 cm breit

maximiliana v. pseudocariquinensis
maximiliana v. carquinensis
maximiliana Lau 254
maximiliana WR 202
maximiliana WR 375

maximiliana v. caespitosa WR 57
maximiliana v. charazanensis WR 624
maximiliana v. corbula WR 412
maximiliana v. intermedia WR 409
maximiliana v. sicuaniensis WR 426
maximiliana v. westii (Hutchinson)
maximiliana v. westii WR 408
maximiliana v. violacea WR 735
maximiliana v. caespitosa Purp. 1917
Blüte gelbrot, Röhre bis 8cm lang
Stacheln hellhorngelb, dunkler gespitzt
maximiliana v. altiplani
maximiliana v. grandiflora
maximiliana v. durispina Rausch 1985 – Typus 204
maximiliana v. charazanensis Card. 1957
maximiliana v. corbula Herrera 1919
Blüten dreifarbig, außen dunkelrot, innen gelb, Spitzen der Blütenblätter karmin
maximiliana v. lauramarca Rauh & Backeb.
Blüte gelbrot, Röhre bis 8cm lang , Stacheln hellhorngelb, dunkler gespitzt
maximiliana v. sicuaniensis Rausch
maximiliana v. hermanniana Backeb. 1935
Blüte gelbrot, Röhre bis 8cm lang
Stacheln hellhorngelb, dunkler gespitzt
maximiliana v. intermedia Rausch 1972
Blüten rot
maximiliana v. apurimacana
maximiliana v. leptacantha Rausch 1972
maximiliana v. miniatiflora Ritter 1963
maximiliana v. quiabayensis Rausch 1968
maximiliana v. violaceae Rausch 1979
maximiliana v. westii Hutch. 1954
Blüten orangerosa bis goldorange, 7 cm lang und 4 cm breit
maximiliana v. cruciaureispina

ferox Br.& R. 1922
Blüte hellgelb
ferox v. potosina Werd. 1931
ferox v. potosina v. cerdana Card. 1959
ferox DJF 288
ferox WR 209

ferox v. *longispina* Br.& R. 1922

ferox v. *longispina* MN 54

ferox v. *longispina* MN 154

longispina v. *claeysiana* Backeb. 1937

Blüten goldgelb, orangerosa – kupferrosa, 6 cm lang und 6 – 7 cm breit, becherförmig öffnend.

Von Aussen zur Mitte heller werdend, Blüten orangerosa Schlund dunkel grün, Blüten kupferrosa -Schlund dunkel violett. Bei gelben Formen ist der Schlund grün.

longispina v. *aureolilacina* Card. 1961

longispina v. *backebergiana* ?????

longispina v. *carminantha* Backeb. 1962

longispina v. *hastifera* Werd. 1938

Blüten rosarot

Stachel – 8 cm lang

longispina v. *lecoriensis* Card.

longispina v. *nigra* Backeb. 1935

longispina v. *pachyantha* ???

longispina v. *ruberflora*

longispina v. *pictiflorea* Ritter 1966

longispina v. *spinosissima* Backeb. 1966

longispina v. *variispina* Ritter n.n. FR 1161

variispina HR 19025a

variispina WR 870

longispina v. *wilkeae* Backeb. 1962

Mistienses

pampana Br. & R. 1922

Blüten rosa-gelb, 6 cm lang, breit 6 cm. Blütenblätter spitz zulaufend

pampana v. leucantha Backeb. 1935
pampana v. brevispina Backeb. 1935
pampana v. moqueguana Knize. syn
pampana WR 433 (scheerii)
pampana AC 148 (scheerii)
pampana v. borealis Rausch 1985 - Typus 387a
pampana v. aureosenilis
Blüten rosenrot

pamparuizii
pamparuizii v. mistienes Wird. & Bacheb, 1931
Blüte geldrot, breit öffnender Kelch
pamparuizii v. glaucesens Ritter -- FR 1460

Hertrichinae (4)

hertrichiana Backeb. 1933
Blüte feuerrot bis dunkel fleischfarben, 5,5 cm lang , 6 cm breit, breit öffnend
Rippen 6- 11, über den Areolen scharf gekerbt.
7 gelbe Randstachel und 1 Mittelstachel

hertrichiana FR 935
hertrichiana 'minuta' WR 414
hertrichiana v. lauui WR 419
hertrichiana v. simplex WR 423
hertrichiana v. zecheri WR 407
hertrichiana v. allegraiana Backeb. 1935
Blüte blutrot
hertrichiana v. binghamiana Backeb. 1935
Blüte hell karmin schlund gelbgrün, 4 cm lang und 4 cm breit. Mittelstachel aufrecht stehend
3cm lang, hornfarben und braun je zur Hälfte
hertrichiana v. divaricata Ritter 696
hertrichiana v. echinata Rausch. 1973
Blüten hellrot, Schlund weiß – rosa, 5 cm lang und 5 cm breit

hertrichiana v. huilcanota Rauh & Backeb. 1956
hertrichiana v. incaica Backeb. 1935
Blüten blutrot
hertrichiana v. larabei Johns. n.n.
hertrichiana v. lauui Don 1974
Blüten scharlach - rosarot
hertrichiana v. minuta Ritter 1963
hertrichiana v. planiceps Backeb. 1935
Blüten rot
hertrichiana v. simplex Rausch 1972
Blüten hellrot, lund 5 xm, breit 5 cm, Schlund weiß
v. simplex f. vilcabambae Ritter 1963
hertrichiana v. wegneriana Grunert & Kluegl. 1970
Blüten rosa

Haageanae - Jajoianae (5) (13)

marsoneri Werd. 1932
Blüten gelb, Schlund purpurrot
marsoneri MN 169 (orange flower)
marsoneri MN 169 (reddish flower, close-up)
marsoneri MN 174

marsoneri v. buiningiana Ritter FR 55
marsoneri v. caspalasensis MN 153
marsoneri v. miniatinigra L556
marsoneri v. tuberculosa
marsoneri v. iridescens Backeb. 1935
marsoneri v. muhriae Backeb. 1963
marsoneri v. flaviflora Backeb. 1963
marsoneri v. uitewaaleana BUIN. 1951
marsoneri subv. rubescens Backeb. 1932
Blüten goldgelb, rötlich unsäumt, 6,5 breit
marsoneri v. tenuispina Backeb. 1932
marsoneri v. haageana Backeb. 1933
Blüten hellgelb, 7 cm lang und 6,5 cm breit, Schlund dunckelrot,
Glocken bis trichterförmig

Körper 30 cm hoch und 10 cm breit

Rippen 20 – 22 und Areolen grauweißfilzig im 1,5 cm Abstand

Mittelstachel 4-6 cm lang schwarz später grau

marsoneri v. albihepatica Backeb. 1935

marsoneri v. bicolor Backeb. 1935

marsoneri v. chrysantha Backeb. 1935

marsoneri v. cinnabrina Backeb. 1935

marsoneri v. stellata Backeb. 1935

marsoneri v. leucoerythrantha Backeb. 1935

marsoneri v. croceantha Backeb. 1935

marsoneri v. durispina Backeb. 1935

marsoneri subv. fleischeriana Backeb. 1934

marsoneri subv. jajoiana Backeb. 1934

Blüte wein-tomatenrot, Schlund schwarzviolett, breiter Kelch becherförmig,
langer Mittelstachel fehlt

jajoiana v. aurata Rausch 1985 – Typus 701

jajoiana v. caspalasensis MN 153

jajoiana v. elegans Rausch 1985 – Typus 36

jajoiana v. nidularis Rausch 1985 – Typus 702

jajoiana v. paucicostata 'glauca' MN 36

jajoiana v. paucicostata 'glauca' MN 190

jajoiana v. paucicostata WR 217

jajoiana v. paucicostata 'glauca' WR 218 n.n.

jajoiana v. pungens Rausch 1985 - Typus 516

jajoiana L 523

marsoneri v. carminata Wessn. 1949

marsoneri v. splendens Wessn. 1949

marsoneri subv. paucicostata Rausch 1971

Blüten wie glauca, Mitteldornen unterschiedlich

marsoneri v. glauca Rausch 1971

Blüten becherartig erweitert, orange bis rot, Schlund schwarz, 5-6 cm breit, Knospen schwarz,
Mittelstachel 6-8 cm lang nach oben stehend

marsoneri subv. vatteri Krainz 1947

Blüten weiß, Schlund schwarz

marsoneri v. gregeri Kreuz 1935

marsoneri v. nigrostoma Buin. 1950

Blüten goldgelb, breiter Kelch

marsoneri v. robusta Backeb. 1935

chrysantha (Werd.) Backeb. 1935
Blüte gelb, breit öffnend, brauner Schlund, Röhre bis 5 cm lang
gepfropft blühwilliger

chrysantha R5
chrysantha MN 216
chrysantha MN 105
chrysantha v. *klusacekii* J 17
chrysantha v. *klusacekii* MN 111
chrysantha v. *klusacekii* WR 584
chrysantha v. *hossei* Werd. 1931
chrysantha v. *janseniana* Backeb. 1935
chrysantha v. *leucantha* Backeb. 1935
chrysantha v. *staffenii* Fric 1931
chrysantha v. *lagunilla* Fric 1935
chrysantha subv. *hypocyrta* Rausch 1972
chrysantha subv. *klusacekii* Fric 1931
chrysantha v. *dragai* Fric 1931
chrysantha v. *polaskiana* Backeb. 1948
Blüten dottergelb, Schlund rot
chrysantha v. *roseiflora* Subik 1960
chrysantha v. *schuldtii* Fric 1935

Shaferae (6)

aurea Backeb. 1934
Blüten hell- bis dunkelgelb, 9 cm lang, 8 cm breit
aurea MN 76
aurea v. *catamarcensis* WR 136
aurea v. *dobeana* GC
aurea v. *leucomalla* WR 116
aurea v. *quinesensis* WR 112
aurea v. 'depressicostata?' P 25
aurea v. *callochrysea* P61
aurea v. *robustior* P105
aurea v. *callochrysea* Ritter 985
aurea v. *albiflora*

aurea v. *quinsensis* WR 112

aurea v. *elegans* Backeb. 1934

aurea v. *cylindrica* Backeb. 1935

aurea v. *grandiflora* Backeb. 1935

aurea v. *lutreiflora* Backeb. 1966

aurea v. *sierragrandensis* Rausch 1985 - Typus WR 711b

aurea v. *tortuosa* Rausch 1985 – Typus 711a

aurea v. *dobeana* Doelz 1939

aurea v. *fallax* (Oehme) Backeb. 1959

aurea v. *fallax* P 032

aurea v. *robustior* Backeb. 1935

aurea v. *leucomalla* (Wessn.) Rausch 1965

Blüten zitronengelb, 5,5 cm breit

aurea v. *rubrispina* Wessn. 1938

aurea v. *quinsensis* Rausch 1965

Blüten gelb, 8 cm lang und 8 cm breit, breitöffnend mit langer tiefer Röhre.

Körper wie *aurea* / *shaferi*, Stacheln dichter und weiche Stachel

aurea v. *shaferi* Rausch 1965

Blüten dottergelb - zitronengelb, 7-8 cm lang 7 cm breit, trichterförmig öffnend , Kelchröhre stark behaart, Schlund braun

Körper säulig mit 4 - 5 cm Dicke. Rippen 10 Stachel weiß oder braun, Mittelstachel bis 5 cm lang

aurea v. *cylindrica* Backeb. 1956

Pseudocachenses (7)

saltensis (Speg.) Br.& R. 1922

Blüten braunrot, 3 cm lang und 4 cm breit, briet öffnend

saltensis (Sta Barbara, 3000m, Arg)

saltensis fma DH 301 B

saltensis v. *multicostata* (Lajas, Salta)

saltensis v. *cachensis* Speg. 1905

cachensis v. *pencapoma* R 238

saltensis v. *multicostata* Rausch 662

saltensis v. nealeana Backeb. 1934
Blüten leuchtenrot, trichterig 3-6 cm lang, 4-6 cm breit
saltensis v. brevispina Backeb. 1948
saltensis v. emmae Backeb. 1948
Blüten orangerot, 5cm lang und 5-6 cm breit, breitöffnend. Schlund grün, Blütenansatz im oberen Pflanzenteil. Körper 20 cm hoch und 5-6 cm dick
saltensis v. cinnabarinna Backeb. 1935
saltensis v. pseudocachensis Backeb. 1934
saltensis v. sanguinea Backeb. 1935
saltensis v. zapallarensis Rausch 1985 – Typus 585

schreiteri Castell. 1930
Blüte hellrosa - purpurrot, schwärzlicher Schlund, 3,5 cm breit
schreiteri (Tafi del Valle, Arg)
schreiteri v. stilowiana WR 171
schreiteri v. stilowiana Backeb. 1949
Blüte braunrot, Schlund dunkler, Rippen 15, Randstacheln 7 und 2 ^ Mittelstacheln
Stacheln hornfarben bis braun, kräftige Mittelstachel 3 cm lang
schreiteri v. riolarenensis Rausch 1985 – Typus 793
schreiteri v. riolarenensis J 62

Pugionacanthalae (8).

pugionacantha Rose & Boed. 1931
Blüten gelblich, rosa, hellrot
pugionacantha v. flaviflora Backeb. 1956

pugionacantha MN 48
pugionacantha v. culpinensis WR 83
pugionacantha v. rossii WR 70
pugionacantha v. versicolor WR 297
pugionacantha v. winkleriana WR 50
pugionacantha v. cornuta Rausch 1972

pugionacantha v. cornuta WR 500
pugionacantha v. cornuta JK 248
pugionacantha v. cornuta WR 651
pugionacantha v. corrugata Rausch 1985 - Typus 176
pugionacantha v. culpinensis Ritter 1966
Blüten gelb oder rot
pugionacantha v. haemantha Rausch 1985 -Typus 639
pugionacantha v. salitreensis Rausch 1974
pugionacantha v. salitreensis f. flexuosa Rausch 1974
pugionacantha v. versicolor Rausch 1974

rossii Boed. 1933
rossii v. bustiloenea Ritter 348
rossii v. beodekeriana Hard. 1935
rossii v. carminata Backeb. 1956
rossii v. salmonnea Backeb. 1956
Blüten gelb, orange, karmin – blutrot, trichterförmig 4,5 cm lang und breit
meist duften
rossii v. sanguinea Backeb. 1956
rossii v. sayariensis Ritter 348a
rossii v. stollenwerkiana Beod. 1935

Breviflorae (9)

cinnabarina (Hook.) Br.& R. 1922
Blüten scharlach – karminrot, kurze Röhre, breittrichterig, 3-4 cm lang und 8 cm breit. Schlund dunkelrot – samtrot, Blütenblätter breit.
Eine der schönsten Lobiviablüten.
Körper flach, Rippen über den Areolen versetzt, beilförmig.
Blüten endstehen seitlich tief unten am Pflanzenkörper.
cinnabarina v. charcasina Card. 1964

cinnabarina RH 385

cinnabarina fma HS 252
cinnabarina v. draxleriana WR 279
cinnabarina subv. draxleriana Rausch 1971
Blüten blutrot-scharlachrot, Blütenblätter breit und spitz zulaufend. Blütenansatz am Außenrand, Körper flach mit 16 Rippen, über den Areolen stark gekerbt, beilförmige Höcker.
cinnabarina subv. draxleriana f. minor Rausch 65
cinnabarina v. draxleriana WR 27
cinnabarina subv. giganta Rausch 62a
cinnabarina subv. gracilis Rausch 62c
cinnabarina subv. graciliflora Card. 1958
cinnabarina subv. neocinnabarina Backeb. 1963
cinnabarina subv. patula Rausch 1974
cinnabarina v. prestoana Card. 1970
cinnabarina subv. roseiflora Rausch 457
cinnabarina v. walterspielii Boed. 1935
Blüten karmesinrot, 4,5 cm breit
cinnabarina subv. zudanensis Card. 1970
cinnabarina v. zudanensis WR 62b
Caineanae (10)

caineana Card. 1952
Blüten rosaviolett
caineana WK 164
caineana v. albiflora
caineana WR 197

lateritia (Gürke) Br.& R. 1922
lateritia JK 356 (seedling in flower)
lateritia WR 490
lateritia v. kupperiana WR673a
lateritia v. camataquiensis Card. 1963
lateritia v. carminantha 1935
lateritia v. cintiensis Card.
lateritia v. citriflora
lateritia v. elongata Ritter. 1963
lateritia v. imporana Backeb. 1962
lateritia v. scopolina Backeb. 1962
lateritia v. rubriflora Backeb. 1959
lateritia v. borealis Rausch 303

lateritia v. cotagaitensis Rausch 67
lateritia v. kupperiana Backeb. 1935
lateritia v. kupperiana v. horrida Ritter. 1963
Famatinensis (11)

haematantha (Speg.) Br.& R. 1922
Blüten orangegelb, Schlund dunkelgrün. Blütenblätter breit mit kleinen Spitzen.
breit öffnend

haematantha ES 55a
haematantha Lau 459
haematantha WR 165
haematantha v. amblayensis WR 239
haematantha v. amblayensis WR 585
haematantha v. densispina MN 38
haematantha v. densispina MN 39
haematantha v. elongata MN 15
haematantha v. elongata MN 19
haematantha v. hualfinensis WR 146
haematantha v. kuehnrichii MN 81
haematantha v. rebutioides (white flowers)
haematantha v. rebutioides MN 29
haematantha v. rebutioides 'sublimiflora' MN 44
haematantha v. rebutioides WR 585a

haematantha v. cabradai
haematantha v. cerasiflora
haematantha v. mirabunda
haematantha v. jasimanensis Rausch 1985 – Typus 792
haematantha subv. amblayebsis Rausch 1972
Blüten orangegelb
haematantha v. albispina Backeb. 1934
haematantha subv. chorilloensis Rausch 1974
Körper klein, flach, Blüte rot
haematantha v. chorilloensis J 114
haematantha subv. densispina Werd. 1934
Blüten gelb, 5 cm breit
haematantha v. albiflora

haematantha v. blossfeldii Wessn. 1940
haematantha v. sanguinea Wessn. 1940
haematantha v. scoparia Werd. 1934
haematantha subv. elongata Backeb. 1956
haematantha subv. hualfinensis Rausch 1968
Blüten orangerot
haematantha subv. fechseri Rausch 1972
haematantha subv. kuehnrichii Fric 1931
Blüten gelb bis orange, kurztrichterig breit öffnend
haematantha v. molinensis Rausch 13 n.n
haematantha v. drijveriana Backeb. 1933
Blüte rein gelb bis orange, Schlund grün, 5 cm breit
haematantha v. aurantiaca Backeb. 1934
haematantha v. nobilis Backeb. 1934
haematantha v. astrantheme Backeb. 1934
haematantha v. nigrispina Backeb. 1935
haematantha v. rubriflora Backeb. 1956
haematantha subv. pectinifera Wessn. 1940
haematantha v. albolanata Buin. 1941
haematantha subv. rebutioides Backeb. 1934
Blüte feuerrot
haematantha v. citriniflora Backeb. 1934
Blüten zitronen- bis eigelb
haematantha v. kraussiana Backeb. 1949
haematantha v. chlorogona Wessn. 1940
haematantha v. chlorogona FR 403
haematantha v. cupreoviridis Wessn. 1940
haematantha v. purpureoostoma Wessn. 1940
haematantha v. rubroviridis Wessn. 1940
haematantha v. versicolor Wessn. 1940
haematantha subv. sublimiflora Backeb. 1935
Blüten leuchtend karmin, 6,5 cm breit
haematantha v. wessneriana Fritz 1940
haematantha v. kreuzingeri
haematantha v. viridis Rausch 1985 – Typus 709a

napina Paz. 1960
Blüte gelb, 5 cm breit trichterförmig, breit öffnend

Blütenblätter an der Außenseite mit grünen streifen.

Blüt im 3. Jahr

famatimensis (Speg.) Br.& R. 1922

Blüten gelb, 5 cm lang und 5 cm breit

Pfropfen

famatimensis WR 127

Famatima; La Rioja, Blüte gelb

famatimensis FR 459

famatimensis 'bonniae' FK 96 (Photo Bouwman)

famatimensis 'bonniae' FK 96

famatimensis v. setosa Backeb, 1937

Blüte rot, 7- 8 cm breit trichterförmig, breit öffnend

Blüt im 3. Jahr

famatimensis v. jachalensis Rausch 577a

famatimensis v. sanjuanensis Rausch 577

Wrightianae (12)

backebergii (Werd.) Backeb. 1935

Blüte hell karmin, bläulich schimmernd, weißer Schlund, 4 cm breit

Pfropfen

backebergii R 456

backebergii fma Lau 154a

backebergii v. oxyalabastra WR 200

backebergii fma Lau 154a

backebergii v. larae WR 264

backebergii v. oxyalabastra WR 200

backebergii v. oxyalabastra Card. & Rausch

Blüten wein- purpurrot, trichterförmig, 5 cm lang und 5 cm breit

backebergii v. wilkeae Backeb. 1962

backebergii subv. schieliana Backeb. 1956

schieliana v. albescens Backeb.

schieliana v. leptacantha Rausch 1972

schieliana v. quiabayensis Rausch 1968
schieliana v. leptacantha WR 422
schieliana v. quiabayensis WR 205
schieliana v. quiabayensis Lau 1004
backebergii subv. wrightiana Backeb. 1937
Blüten zart lilarosa, 6 cm lang, 5 cm breit
Pfropfen
backebergii v. brevispina Backeb.
kurz dornige Form
backebergii v. chilensis Knize
backebergii subv. zecheri Rausch 1971
Blüten dunkel- bis violettrot
zecheri v. fungiflora Braun 1937

wrightina Backeb. 1937
wrightina v. chilensis Knize n.n.
wrightina v. brecispina Backeb. 1937
wrightina v. fungiflora Braun 1937
wrightina v. winteriana Ritter 1970
Blüten robinrot, 9 cm lang, 8 cm breit
wrightiana KK 1545
wrightiana v. winteriana FR 1312

Sanguiniflorae (14)

sanguiniflora Backeb. 1935
Blüten blutrot, Schlund weiß, kurzröhlig, 4-5 cm breit
sanguiniflora v. breviflora WR 582
sanguiniflora fma WR 517
sanguiniflora v. pseudolateritia Backeb. 1956
sanguiniflora v. breviflora Backeb. 1935
sanguiniflora v. duursmaiana Backeb. 1935
sanguiniflora v. polycephala backeb. 1935

Tiegeliana (15)

tiegeliana Wessn. 1939

Blüten leuchtend violettrosa, 2,5 cm lang, 4 cm breit

tiegeliana 'chimorphipetala' RH 253

tiegeliana v. *fricci* MN 235

tiegeliana v. *flaviflora* FR 1170

tiegeliana v. *winteriana* Krainz 1948

tiegeliana v. *distelfanoiana* Cullm. 1961

Blüten violett aber kräftigere Farbe wie v. *fricci*, 6 cm lang und 5 cm breit

15 Stacheln kammartig anliegend.

tiegeliana v. *flaviflora* Ritter 1966

tiegeliana v. *fricci* Ritter 1973

Blüten hellviolett, 2,5 cm lang und 3 cm breit.

15 Stacheln kammartig anliegend

tiegeliana v. *peclardiana* Krainz 1948

Blüten hell-violettrosa, 4 cm lang und 8 cm breit, breitöffnend.

Stacheln kammartig anliegend.

tiegeliana v. *pusilla* Ritter. 1966

tiegeliana v. *rubberima* Rausch 1972

tiegeliana v. *uriondoensis*

tegeleriana Backeb. 1935

Blüten lachsrot, 4-5 cm lang, Blütenblätter schmall und spitz.

13 gefurchte Rippen, Areolen mit 8 Seitenstacheln 2 cm lang,
wie eine Spinne anliegend.

tegeleriana WR 405

tegeleriana v. *incuiensis* WR 443

tegeleriana v. *eckardtiana* Backeb. 1937

tegeleriana v. *medingiana* Backeb. 1937

tegeleriana v. *plominiana* Backeb. 1937

tegeleriana v. *akersii* Rausch 1973 Peru

nördlichste Lobivia in Peru

Blüten rosa, Schlund weiß
tegeleriana v. oyonica Akers 1973 n.n. = akersii
tegeleriana v. churinensis Johns n.n. = akersii
tegeleriana v. incuiensis Rauh & Backeb. 1958
Blüten reinrot, Schlund ziegelrot

ancistrophora Speg. 1905
ancistrophora v. hamatacantha Backeb. 1934
ancistrophora v. polyancistra Backeb. 1933
ancistrophora v. cardenasiana Rausch 1972
aurea v. catamarcensis WR 136
aurea v. catamarcensis WR 136
Blüten magentarot
ancistrophora v. rubriflora Rausch 498a

arachnacantha Buin. & Ritter 1956
Blüten gelb - orange, trichterig
arachnacantha v. mairanana
arachnacantha WR 180
arachnacantha v. densiseta Rausch 1968
arachnacantha v. kratochviliana Backeb. 1934
Blüten weiß, Schlund grün, 6 cm breit
arachnacantha v. torrecillasensi Card. 1956
Blüte karmin - krapprot, Röhre 3-4 cm grauschwarz behaart, 5 cm breit
7 Seitenstachel und 1 kurzer Mittelstachel
arachnacantha v. sulphurea Vasqu. 1968
arachnacantha v. vallegrandensis Rausch 1975

calorubra Card, 1957
Blüten lachsrot,

calorubra v. mizquensis WR 610
calorubra v. mizquensis WR 463
calorubra v. aguilari Vasqu, 1974
calorubra v. grandiflora
calorubra v. megalcephala
calorubra v. mizquensis Rausch 1972
calorubra v. pojoensis Rausch 1968

Zuordnen zu dem System

huascha (Web.) Marsh. 1941

Blüten ziegelrot, trichterig

huascha v. callianthus Ritter. 426

huascha rubriflora

huascha v. walteri

huascha v. auricolor Backeb. 1955

huascha v. macranthus Backeb. 1966

Blüten gelb, 10 cm lang, breit öffnend

huascha v. rosiflorus Backeb. 1966

huascha v. robusta Rausch 1985 – Typus 229

huascha v. andalgalensis (Web. 1898) Rausch

huascha v. purpureominiata Ritter 997

Blutrot, 10 cm lang und 8 cm breit öffnend

huascha v. grandiflora Br.& R. 1922

Blüten rot, 8-10 cm lang, 8-10 cm breit

grandiflora lobivoides

grandiflora v. crassicaulis WR 151

grandiflora v. longispina Rausch 1985 – Typus 151

grandiflora v. pumila Rausch 1985 – Typus 758

grandiflora v. herzogii Rausch 1985 – Typus 795

grandiflora v. herzogii L 203 Tafi del Valle

huascha v. crassicaulis Backeb. 1966

huascha subv. narvaezensis Card. 1953

huascha v. caspalasensis Rausch 695

chrysochete Werd. 1936

Blüten goldgelb, zu den Spitzen rötlich, Schlund hell

chrysochete v. hystrix Ritter 1966

chrysochete MN 133

chrysochete WR 173

chrysochete 'v. subtilis' MN 144 (orange-red fl)

chrysochete 'v. subtilis' MN 144 (orange-yellow fl)

chrysochete v. tenuispina WR 497

chrysochete v. chunchullensis Rausch 638

chrysochete v. markusii Rausch. 1966

chrysochete v. minutiflora Rausch 512

chrysochete v. tenuispina Ritter 1966

Blüten goldgelb - orange

rauschii Zecher 1974

rauschii v. grandiflora

rauschii WR 635

formosa Dodds 1937 Argentinien

Blüten gelb

formosa v. herzogii J 203

formosa v. hyalacantha WR 565

formosa v. amaichensis

formosa v. horrida

formosa v. rosarioana

formosa v. maxima Backeb. 1959

formosa v. polycephala Backeb. 1959

formosa v. velascoensis Rausch 128a n.n.

formosa v. uebelmanniana Lembcke & Backeb. 1959 n.n.

formosa v. bertramiana Backeb. 1935

formosa v. orurensis Card. 1953

formosa v. albiflorus Card. 1953

formosa v. antezanae Card. Card. 1953

formosa v. herzogianus Card. 1953

formosa v. conaconensis Card. 1953

formosa subv. bruchii Br.& R. 1922

Blüten tiefrot, 4-5 cm lang

formosa subv. bruchii Br.& R. 1922

formosa subv. grandis Br.& R. 1922

Blüten orangegelb

formosa v. kieslingii Rausch 573

Blütenorangerot, 9 cm lang und breit

formosa v. nivalis Fric 1929 – Typus 015

formosa subv. taricensis Vpl. 1916

formosa v. randallii Card. 1963

formosa v. poco Backeb. 1935

formosa v. fricianaus Card. 1953
formosa v. albiflorus CARD. 1953
formosa v. sanguiniflorus Backeb. 1966
formosa v. totorensis Card. 1953

thionantha (Speg.) Rausch 048 Argentinien
Blüten gelb, kurzröhlig, breit öffnend

thionantha v. aurantiaca Rausch 148
thionantha v. brevispina Rausch 231
thionantha v. catamarcensis Rausch 570
thionantha v. chionantha Rausch 022
thionantha v. erythrantha Rausch 1985 – Typus 763
Argentinien, Salta, 3000 m

Blüte 3 cm lang und 3 cm Breit, aussen weißlich hellrot, innen rot, Schlund weißlich-rosa

thionantha v. ferrarii Rausch 572

thionantha v. glauca Rausch 147

thionantha v. munita Rausch 1985 – Typus 772 Argentinien, Salta, 2600 m

Blüte 5 cm lang und 5cm breit, rot oder auch gelb, Schlund hellrot

thionantha	v.	variiflora	Rausch	759	n.n.
------------	----	------------	--------	-----	------

obrepanda v. frankii

obrepanda v. purprea

yuquina

silvestrii (Speg.) Rowley 1967

Blüte karminrot, kelch öffnend, 3 cm lang und 4 cm breit

Echte Lobivia

atrovirens Backeberg 1935

atrovirens v. *haefneriana*

Blüte rot, breit öffnend, kurze Röhre

atrovirens v. *nigricans* Wessn, 1940

atrovirens v. *pseudoritteri* Rausch 1985 - Typus Rausch 508

atrovirens v. *yuncharasensis* Rausch 1985 - Typus Rausch 91

acanthoplemma Backeb. 1962

acanthoplemma WR 57

acanthoplemma v. *oligotricha* WR 58

acanthoplemma v. *roseiflora* PM 153

acanthoplemma 'v. *pilosa*' Rausch 667

arachnacantha WR 180

arachnacantha v. sulphurea Vazq. 542
arachnacantha v. leucosyphus Card.
acanthoplemma v. oligotricha Card, 1963
Blüte purpurrot, Schlund gelb unten grün, kurz röhlig

acanthoplemma v. neocinnabarina Backeb.
acanthoplemma v. patula Rausch 1974
acanthoplemma v. roseiflora Rausch 457

rigidispina Backeb. 1963

vanurkiana Backeb. 1963
tarabucina
tarabucoensis
=====

acanthoplemma WR 57
acanthoplemma v. oligotricha WR 58
acanthoplemma v. roseiflora PM 153
acanthoplemma 'v. pilosa' Rausch 667
arachnacantha WR 180
arachnacantha v. sulphurea Vazq. 542
aurea MN 76
aurea 'catamarcensis' WR 136
aurea v. dobeana GC
aurea v. leucomalla WR 116
aurea v. quinesensis WR 112
aurea v. 'depressicostata?' P 25
backebergii fma Lau 154a
backebergii v. larae WR 264
backebergii v. oxyalabastra WR 200
calorubra v. mizquensis WR 610
calorubra v. mizquensis WR463
caineana WR 197
chrysantha MN 216
chrysantha MN 105

chrysantha 'klusacekii' J 17
chrysantha 'klusacekii' MN 111
chrysantha 'klusacekii' WR 584
chrysantha v. hypocyrta
chrysochete MN 133
chrysochete WR 173
chrysochete 'v. subtilis' MN 144 (orange-red fl)
chrysochete 'v. subtilis' MN 144 (orange-yellow fl)
chrysochete v. tenuispina WR 497
cinnabarina RH 385
cinnabarina fma HS 252
cinnabarina v. draxleriana WR 279
cinnabarina v. zudanensis WR 62b
ferox WR 209
ferox v. longispina MN 54
ferox v. longispina MN 154
formosa v. herzogii J 203
formosa v. hyalacantha WR 565
famatimensis FR 459
famatimensis 'bonniae' FK 96 (Photo Bouwman)
famatimensis 'bonniae' FK 96
formosa v. kieslingii WR 573
grandiflora v. crassicaulis WR 151
haematantha Lau 459
haematantha WR 165
haematantha v. amblayensis WR 239
haematantha v. densispina MN 38
haematantha v. densispina MN 39
haematantha v. elongata MN 15
haematantha v. elongata MN 19
haematantha v. hualfinensis WR 146
haematantha v. kuehnrichii MN 81
haematantha v. rebutioides (white flowers)
haematantha v. rebutioides MN 29
haematantha v. rebutioides 'sublimiflora' MN 44
haematantha v. rebutioides WR 585a
haematantha v. jasimanensis WR 752
hertrichiana FR 935
hertrichiana 'minuta' WR 414
hertrichiana v. lauui WR 419
hertrichiana v. simplex WR 423
hertrichiana v. zecheri WR 407

jajoiana v. aurata WR 701
jajoiana v. caspalasensis MN 153
jajoiana v. elegans MN 161
jajoiana v. elegans MN 210
jajoiana v. fleischeriana WR 580
jajoiana v. paucicostata 'glauca' MN 36
jajoiana v. paucicostata 'glauca' MN 190
jajoiana v. paucicostata 'glauca' WR 218
jajoiana v. pungens WR 516
jajoiana v. MN 243 (seedling in flower)
lateritia JK 356 (seedling in flower)
lateritia 'v. kupperiana' WR673a
marsoneri MN 169 (orange flower)
marsoneri MN 169 (reddish flower, close-up)
marsoneri MN 174
maximiliana Lau 254
maximiliana WR 202
maximiliana v. caespitosa WR 57
maximiliana v. charazanensis WR 624
maximiliana v. corbula WR 412
maximiliana v. intermedia WR 409
maximiliana v. sicuaniensis WR 426
maximilana v. westii (Hutchinson)
maximiliana v. westii WR 408
maximiliana v. violacea WR 735
pampana WR 433 (scheerii)
pampana AC 148 (scheerii) pampana 'v. borealis" WR 387a
pentlandii WR 201
pentlandii WR 298
pentlandii WR 956
pugionacantha MN 48
pugionacantha v. cornuta JK 248
pugionacantha v. cornuta WR 651
pugionacantha v. corrugata WR 176
pugionacantha v. culpinensis WR 83
pugionacantha v. rossii WR 70
pugionacantha v. versicolor WR 297
pugionacantha 'v. winkleriana' WR 500a
rauschii WR 635
saltensis (Sta Barbara, 3000m, Arg)
saltensis fma DH 301 B
saltensis v. multicostata (Lajas, Salta)

sanguiniflora v. breviflora WR 582
sanguiniflora fma WR 517
schieliana v. leptacantha WR 422
schieliana v. quiabayensis WR 205
schieliana v. quiabayensis Lau 1004
schreiteri (Tafi del Valle, Arg)
schreiteri v. riolarense J 62
schreiteri v. stilocerana WR 171
spec. 'albari' (Lopez, Bol)
spec. WR 904 (Curque, Bol)
tiegeliana 'dimorphipetala' RH 253
tiegeliana v. fricci MN 235
tiegeliana v. flaviflora FR 1170
tegeleriana WR 405
tegeleriana v. incuiensis WR 443
variispina HR 19025a
wrightiana KK 1545
wrightiana v. winteriana FR 1312

Lobivia

Lobivia is an anagram of Bolivia from where many of this genus species originate. Lobivia is now included in Echinopsis.

Species and varieties

Lobivia acanthoplegma synonym of Echinopsis cinnabarina
Lobivia aculeata synonym of Echinopsis pentlandii
Lobivia adpressispina synonym of Echinopsis pugionacantha
Lobivia aguilarii synonym of Echinopsis obrepanda ssp. calorubra
Lobivia aguilarii (Violet Easter Lily Cactus) synonym of Echinopsis obrepanda
Lobivia akersii synonym of Echinopsis tegeleriana
Lobivia albipectinata synonym of Rebutia albopectinata
Lobivia allegrainana synonym of Echinopsis hertrichiana

Lobivia amblayensis synonym of *Echinopsis haematantha*
Lobivia ancastii (Golden Easter Lily Cactus) synonym of *Echinopsis aurea*
Lobivia andalgalensis synonym of *Echinopsis huascha*
Lobivia ancistrophora
Lobivia arachnacantha var. *torrecillasensis* synonym of *Echinopsis ancistrophora* ssp.
arachnacantha var. *torrecillasensis*
Lobivia argentea synonym of *Echinopsis pentlandii*
Lobivia atrovirens synonym of *Rebutia pygmaea*
Lobivia atrovirens var. *haefneriana* synonym of *Rebutia pygmaea*
Lobivia atrovirens var. *pseudoritteri* synonym of *Rebutia pygmaea*
Lobivia atrovirens var. *raulii* synonym of *Rebutia ritteri*
Lobivia atrovirens var. *yuncharasensis* synonym of *Rebutia pygmaea*
Lobivia aurantida synonym of *Rebutia einsteinii*
Lobivia aurantida var. *gracilis* synonym of *Rebutia einsteinii*
Lobivia aurantiaca synonym of *Echinopsis pentlandii*
Lobivia aurea (Golden Easter Lily Cactus) synonym of *Echinopsis aurea*
Lobivia aurea var. *dobeana* synonym of *Echinopsis aurea* var. *dobeana*
Lobivia aurea var. *quinesensis* (Golden Easter Lily Cactus) synonym of *Echinopsis aurea*
Lobivia aureiflora synonym of *Rebutia aureiflora*
Lobivia aureolilacina synonym of *Echinopsis ferox*
Lobivia aureosenilis synonym of *Echinopsis pampana*
Lobivia backebergiana synonym of *Echinopsis ferox*
Lobivia backebergii synonym of *Echinopsis backebergii*
Lobivia backebergii ssp. *schieliana* synonym of *Echinopsis schieliana*
Lobivia backebergii subsp. *hertrichiana* synonym of *Echinopsis hertrichiana*
Lobivia backebergii var. *laui* synonym of *Echinopsis hertrichiana*
Lobivia binghamiana synonym of *Echinopsis hertrichiana*
Lobivia boedekeriana synonym of *Echinopsis backebergii*
Lobivia boliviensis synonym of *Echinopsis pentlandii*
Lobivia brachyantha synonym of *Rebutia steinmannii*
Lobivia breviflora synonym of *Echinopsis sanguiniflora*
Lobivia bruchii synonym of *Echinopsis bruchii*
Lobivia brunneo-rosea synonym of *Echinopsis pentlandii*
Lobivia buiningiana synonym of *Echinopsis marsoneri*
Lobivia cachensis synonym of *Echinopsis saltensis*
Lobivia caespitosa synonym of *Echinopsis maximiliana*
Lobivia caineana synonym of *Echinopsis caineana*
Lobivia calorubra synonym of *Echinopsis obrepanda* ssp. *calorubra*
Lobivia calorubra var. *mizquensis* (Violet Easter Lily Cactus) synonym of *Echinopsis obrepanda*
Lobivia camataquiensis synonym of *Echinopsis lateritia*
Lobivia campicola synonym of *Echinopsis pugionacantha*
Lobivia cariquinensis synonym of *Echinopsis maximiliana*

Lobivia carminantha synonym of *Echinopsis lateritia*
Lobivia charazanensis synonym of *Echinopsis maximiliana*
Lobivia charcasina synonym of *Echinopsis cinnabarina*
Lobivia chlorogona synonym of *Echinopsis densispina*
Lobivia chorrillosensis synonym of *Echinopsis haematantha*
Lobivia chrysacantha synonym of *Rebutia minuscula*
Lobivia chrysantha synonym of *Echinopsis chrysantha*
Lobivia chrysantha ssp. *jajoiana* synonym of *Echinopsis marsoneri*
Lobivia chrysantha ssp. *marsoneri* synonym of *Echinopsis marsoneri*
Lobivia chrysochete synonym of *Echinopsis chrysochete*
Lobivia cinnabarina synonym of *Echinopsis cinnabarina*
Lobivia cintiensis synonym of *Echinopsis lateritia*
Lobivia claeysiana synonym of *Echinopsis ferox*
Lobivia conoidea synonym of *Rebutia einsteinii*
Lobivia corbula synonym of *Echinopsis maximiliana*
Lobivia cornuta synonym of *Echinopsis pugionacantha*
Lobivia crassicaulis synonym of *Echinopsis crassicaulis*
Lobivia cruciaureispina synonym of *Echinopsis maximiliana*
Lobivia culpinensis synonym of *Echinopsis pugionacantha*
Lobivia cylindracea (Golden Easter Lily Cactus) synonym of *Echinopsis aurea*
Lobivia cylindrica (Golden Easter Lily Cactus) synonym of *Echinopsis aurea*
Lobivia densispina synonym of *Echinopsis densispina*
Lobivia densispina fa. *chlorogona* synonym of *Echinopsis densispina*
Lobivia densispina v. *leucomalla* (Golden Easter Lily Cactus) synonym of *Echinopsis aurea*
Lobivia densispina var. *rebutioides* synonym of *Echinopsis densispina*
Lobivia digitiformis synonym of *Rebutia pygmaea*
Lobivia dobeana synonym of *Echinopsis aurea* var. *dobeana*
Lobivia draxleriana synonym of *Echinopsis cinnabarina*
Lobivia drijveriana synonym of *Echinopsis haematantha*
Lobivia duursmaiana synonym of *Echinopsis sanguiniflora*
Lobivia echinata synonym of *Echinopsis hertrichiana*
Lobivia einsteinii synonym of *Rebutia einsteinii*
Lobivia einsteinii var. *gonjianii* synonym of *Rebutia gonjianii*
Lobivia elongata synonym of *Echinopsis haematantha*
Lobivia emmae synonym of *Echinopsis saltensis*
Lobivia euanthema synonym of *Rebutia gonjianii*
Lobivia euanthema synonym of *Rebutia aureiflora*
Lobivia eucaiptana synonym of *Rebutia steinmannii*
Lobivia fallax (Golden Easter Lily Cactus) synonym of *Echinopsis aurea*
Lobivia famatimensis (Orange Cob Cactus) synonym of *Echinopsis famatimensis*
Lobivia famatimensis v. *leucomalla* (Golden Easter Lily Cactus) synonym of *Echinopsis aurea*
Lobivia famatimensis var. *densispina* synonym of *Echinopsis densispina*

Lobivia ferox synonym of *Echinopsis ferox*
Lobivia formosa synonym of *Echinopsis formosa*
Lobivia formosa var. poco synonym of *Echinopsis tarijensis* ssp. *totorensis*
Lobivia fricii synonym of *Echinopsis tiegeliana*
Lobivia glauca synonym of *Echinopsis marsoneri*
Lobivia glaucescens synonym of *Echinopsis pampana*
Lobivia gonjianii synonym of *Rebutia gonjianii*
Lobivia grandiflora synonym of *Echinopsis huascha*
Lobivia grandis synonym of *Echinopsis bruchii*
Lobivia haageana synonym of *Echinopsis marsoneri*
Lobivia haagei var. crassa synonym of *Rebutia pygmaea*
Lobivia haagei var. elegantula synonym of *Rebutia pygmaea*
Lobivia haagei var. nazarenoensis synonym of *Rebutia pygmaea*
Lobivia haagei var. pelziana synonym of *Rebutia pygmaea*
Lobivia haematantha synonym of *Echinopsis haematantha*
Lobivia haematantha ssp. *kuehnrichii* synonym of *Echinopsis haematantha* ssp. *kuehnrichii*
Lobivia haematantha subsp. *densispina* synonym of *Echinopsis densispina*
Lobivia haematantha var. *amblayensis* synonym of *Echinopsis haematantha*
Lobivia haematantha var. *chorrilloensis* synonym of *Echinopsis haematantha*
Lobivia haematantha var. *elongata* synonym of *Echinopsis haematantha*
Lobivia haematantha var. *hualfinensis* synonym of *Echinopsis haematantha*
Lobivia haematantha var. *jasimanensis* synonym of *Echinopsis haematantha*
Lobivia haematantha var. *rebutioides* synonym of *Echinopsis densispina*
Lobivia hardeniana synonym of *Echinopsis pentlandii*
Lobivia hastifera synonym of *Echinopsis ferox*
Lobivia hermanniana synonym of *Echinopsis maximiliana*
Lobivia hertrichiana synonym of *Echinopsis hertrichiana*
Lobivia hertrichiana f. *allegrainana* synonym of *Echinopsis hertrichiana*
Lobivia hertrichiana f. *binghamiana* synonym of *Echinopsis hertrichiana*
Lobivia hertrichiana f. *incaica* synonym of *Echinopsis hertrichiana*
Lobivia hertrichiana f. *planiceps* synonym of *Echinopsis hertrichiana*
Lobivia hertrichiana var. *simplex* synonym of *Echinopsis hertrichiana*
Lobivia higginsiana synonym of *Echinopsis pentlandii*
Lobivia hoffmanniana synonym of *Rebutia steinbachii*
Lobivia horrida synonym of *Echinopsis ferox*
Lobivia hualfinensis synonym of *Echinopsis haematantha*
Lobivia huascha synonym of *Echinopsis huascha*
Lobivia huascha var. *walteri* synonym of *Echinopsis walteri*
Lobivia huilcanota synonym of *Echinopsis hertrichiana*
Lobivia hyalacantha synonym of *Echinopsis huascha*
Lobivia hystrix synonym of *Echinopsis chrysocarpe*
Lobivia incaica synonym of *Echinopsis hertrichiana*

Lobivia incuiensis synonym of *Echinopsis tegeleriana*
Lobivia intermedia synonym of *Echinopsis maximiliana*
Lobivia iridescens synonym of *Echinopsis marsoneri*
Lobivia jajoiana synonym of *Echinopsis marsoneri*
Lobivia johnsoniana synonym of *Echinopsis pentlandii*
Lobivia kieslingii synonym of *Echinopsis formosa*
Lobivia klimpeliana synonym of *Acanthocalycium klimpelianum*
Lobivia knuthiana synonym of *Rebutia minuscula* var. *violaciflora*
Lobivia korethroides synonym of *Echinopsis korethroides*
Lobivia kupperiana synonym of *Echinopsis lateritia*
Lobivia larae synonym of *Echinopsis pentlandii*
Lobivia lateritia synonym of *Echinopsis lateritia*
Lobivia lauui synonym of *Echinopsis hertrichiana*
Lobivia lauramarca synonym of *Echinopsis pentlandii*
Lobivia leptacantha synonym of *Echinopsis schieliana*
Lobivia leucomalla (Golden Easter Lily Cactus) synonym of *Echinopsis aurea*
Lobivia leucorhodon synonym of *Echinopsis pentlandii*
Lobivia leucoviolacea synonym of *Echinopsis pentlandii*
Lobivia longispina synonym of *Echinopsis ferox* var. *longispina*
Lobivia markusii synonym of *Echinopsis chrysocnemis*
Lobivia marsoneri synonym of *Echinopsis marsoneri*
Lobivia maximiliana synonym of *Echinopsis maximiliana*
Lobivia maximiliana ssp. *quiabensis* synonym of *Echinopsis schieliana*
Lobivia maximiliana subsp. *caespitosa* synonym of *Echinopsis maximiliana*
Lobivia maximiliana subsp. *westii* synonym of *Echinopsis maximiliana*
Lobivia miniatiflora synonym of *Echinopsis maximiliana*
Lobivia miniatinigra synonym of *Echinopsis marsoneri*
Lobivia minuscula synonym of *Rebutia minuscula*
Lobivia minuta synonym of *Echinopsis hertrichiana*
Lobivia mirabunda synonym of *Echinopsis haematantha*
Lobivia mistiensis synonym of *Echinopsis pampana*
Lobivia mizquensis (Violet Easter Lily Cactus) synonym of *Echinopsis obrepanda*
Lobivia mizquensis synonym of *Echinopsis obrepanda* ssp. *calorubra*
Lobivia muhriae synonym of *Echinopsis marsoneri*
Lobivia multicostata synonym of *Echinopsis pentlandii*
Lobivia napina synonym of *Echinopsis densispina*
Lobivia nealeana synonym of *Echinopsis saltensis*
Lobivia neo-haageana synonym of *Rebutia pygmaea*
Lobivia neocinnabarina synonym of *Echinopsis cinnabarina*
Lobivia nigricans synonym of *Rebutia nigricans*
Lobivia nigricans var. *albispina* synonym of *Rebutia nigricans*
Lobivia nigricans var. *carmeniana* synonym of *Rebutia nigricans*

Lobivia nigrostoma synonym of *Echinopsis marsoneri*
Lobivia oligotricha synonym of *Echinopsis cinnabarina*
Lobivia omasuyana synonym of *Echinopsis pentlandii*
Lobivia oreopepon synonym of *Echinopsis formosa*
Lobivia orurensis synonym of *Rebutia pygmaea*
Lobivia orurensis synonym of *Rebutia orurensis*
Lobivia oxyalabastra synonym of *Echinopsis backebergii*
Lobivia pachyacantha synonym of *Echinopsis ferox*
Lobivia pampana synonym of *Echinopsis pampana*
Lobivia peclardiana synonym of *Echinopsis tiegeliana*
Lobivia pectinata synonym of *Rebutia pygmaea*
Lobivia pectinifera (Orange Cob Cactus) synonym of *Echinopsis famatimensis*
Lobivia pentlandii synonym of *Echinopsis pentlandii*
Lobivia pentlandii f. *carminantha* synonym of *Echinopsis lateritia*
Lobivia pentlandii var. *maximiliana* synonym of *Echinopsis maximiliana*
Lobivia pictiflora synonym of *Echinopsis ferox*
Lobivia pictiflorea synonym of *Echinopsis ferox*
Lobivia planiceps synonym of *Echinopsis hertrichiana*
Lobivia pojoensis (Violet Easter Lily Cactus) synonym of *Echinopsis obrepanda*
Lobivia polaskiana synonym of *Echinopsis chrysantha*
Lobivia polycephala synonym of *Echinopsis sanguiniflora*
Lobivia potosina synonym of *Echinopsis ferox*
Lobivia prestoana synonym of *Echinopsis cinnabarina*
Lobivia pseudocachensis synonym of *Echinopsis saltensis*
Lobivia pseudocariquinensis synonym of *Echinopsis maximiliana*
Lobivia pseudocinnabarina synonym of *Echinopsis cinnabarina*
Lobivia pugionacantha synonym of *Echinopsis pugionacantha*
Lobivia purpureominiata synonym of *Echinopsis huascha*
Lobivia pusilla synonym of *Echinopsis tiegeliana*
Lobivia pygmaea synonym of *Rebutia pygmaea*
Lobivia pygmaea var. *knizei* synonym of *Rebutia pygmaea*
Lobivia pygmaea var. *polypetala* synonym of *Rebutia pygmaea*
Lobivia pygmaea var. *tafnaensis* synonym of *Rebutia pygmaea*
Lobivia pygmaea var. *violaceostaminata* synonym of *Rebutia pygmaea*
Lobivia quiabayensis synonym of *Echinopsis schieliana*
Lobivia raphidacantha synonym of *Echinopsis pentlandii*
Lobivia rauschii Zecher synonym of *Echinopsis yuquina*
Lobivia rebutioides synonym of *Echinopsis densispina*
Lobivia rebutioides var. *chlorogona* synonym of *Echinopsis densispina*
Lobivia ritteri synonym of *Rebutia ritteri*
Lobivia rosarioana synonym of *Echinopsis formosa*
Lobivia rossii synonym of *Echinopsis pugionacantha* ssp. *rossii*

Lobivia rubescens synonym of *Echinopsis marsoneri*
Lobivia salitrensis synonym of *Echinopsis pugionacantha*
Lobivia saltensis synonym of *Echinopsis saltensis*
Lobivia sanguiniflora synonym of *Echinopsis sanguiniflora*
Lobivia scheeri synonym of *Echinopsis pentlandii*
Lobivia schieleana synonym of *Echinopsis schieliana*
Lobivia schieliana synonym of *Echinopsis schieliana*
Lobivia schmiedcheniana synonym of *Rebutia einsteinii*
Lobivia schneideriana synonym of *Echinopsis pentlandii*
Lobivia schreiteri synonym of *Echinopsis schreiteri*
Lobivia scoparia synonym of *Echinopsis densispina*
Lobivia scopulina synonym of *Echinopsis lateritia*
Lobivia senilis synonym of *Rebutia minuscula*
Lobivia shaferi (Golden Easter Lily Cactus) synonym of *Echinopsis aurea*
Lobivia shaferi f. *cylindracea* (Golden Easter Lily Cactus) synonym of *Echinopsis aurea*
Lobivia shaferi subsp. *fallax* (Golden Easter Lily Cactus) synonym of *Echinopsis aurea*
Lobivia shaferi subsp. *leucomalla* (Golden Easter Lily Cactus) synonym of *Echinopsis aurea*
Lobivia shaferi subsp. *rubriflora* (Golden Easter Lily Cactus) synonym of *Echinopsis aurea*
Lobivia sicuanensis synonym of *Echinopsis maximiliana*
Lobivia silvestrii (Peanut Cactus) synonym of *Echinopsis chamaecereus*
Lobivia simplex synonym of *Echinopsis hertrichiana*
Lobivia spiniflora synonym of *Acanthocalycium spiniflorum*
Lobivia spiniflora var. *peitscheriana* synonym of *Acanthocalycium klimpelianum*
Lobivia steinmannii synonym of *Rebutia steinmannii*
Lobivia steinmannii var. *applanata* synonym of *Rebutia steinmannii*
Lobivia steinmannii var. *leucantha* synonym of *Rebutia steinmannii*
Lobivia steinmannii var. *major* synonym of *Rebutia steinmannii*
Lobivia steinmannii var. *melanocentra* synonym of *Rebutia steinmannii*
Lobivia steinmannii var. *parvula* synonym of *Rebutia steinmannii*
Lobivia steinmannii var. *tuberculata* synonym of *Rebutia steinmannii*
Lobivia stilowiana synonym of *Echinopsis schreiteri*
Lobivia taratensis synonym of *Echinopsis cinnabarina*
Lobivia tegeleriana synonym of *Echinopsis tegeleriana*
Lobivia thionantha var. *ferrarii* synonym of *Acanthocalycium ferrarii*
Lobivia tiegeliana synonym of *Echinopsis tiegeliana*
Lobivia tiegeliana var. *distefanoiana* synonym of *Echinopsis tiegeliana* var. *distefanoiana*
Lobivia titicacensis synonym of *Echinopsis pentlandii*
Lobivia tuberculosa synonym of *Echinopsis marsoneri*
Lobivia uitewaaleana synonym of *Echinopsis marsoneri*
Lobivia varians synonym of *Echinopsis pentlandii*
Lobivia variispina synonym of *Echinopsis ferox*
Lobivia versicolor synonym of *Echinopsis pugionacantha*

Lobivia vilcabambae synonym of *Echinopsis hertrichiana*
Lobivia violaciflora synonym of *Rebutia minuscula* var. *violaciflora*
Lobivia walteri synonym of *Echinopsis walteri*
Lobivia walterspielii synonym of *Echinopsis cinnabarina*
Lobivia wegheiana synonym of *Echinopsis pentlandii*
Lobivia westii synonym of *Echinopsis maximiliana*
Lobivia westii var. *intermedia* synonym of *Echinopsis maximiliana*
Lobivia wilkeae synonym of *Echinopsis ferox*
Lobivia winterana synonym of *Echinopsis backebergii*
Lobivia wrightiana synonym of *Echinopsis backebergii*
Lobivia wrightiana var. *winteriana* synonym of *Echinopsis backebergii* var. *winterana*
Lobivia zecheri synonym of *Echinopsis backebergii*
Lobivia zudanensis synonym of *Echinopsis cinnabarina*

Temperaturverträglichkeit im minus Bereich

Lobivia arachnacantha var. *arachnacantha* -1
Lobivia arachnacantha var. *sulfurea* 0
Lobivia aurea var. *aurea* -2
Lobivia aurea var. *leucomalla* -12
Lobivia aurea var. *shaferi* -10
Lobivia backebergii -4
Lobivia backebergii var. *larae* -6
Lobivia bruchii -12
Lobivia chrysantha var. *chrysantha* -12
Lobivia chrysantha var. *polaskiana* -4
Lobivia cinnabarina var. *draxleriana* -6
Lobivia densispina var. *sanguinea* -1
Lobivia famatimensis -12
Lobivia ferox var. *ferox* -12
Lobivia ferox var. *longispina* -12
Lobivia haematantha var. *densispina* -12
Lobivia haematantha var. *rebutioides* -12
Lobivia hertrichiana -4
Lobivia kupperiana -9
Lobivia maximiliana var. *caespitosa* -12
Lobivia melanea -7

Lobivia oxyalabastra -4
Lobivia pentlandii -12
Lobivia recondita -1
Lobivia schieliana -2
Lobivia uebelmanniana -10